

Priorities & Progress in Hydrogen Energy Research in the EU



C. Filiou¹, P. Moretto¹ & J. Martin-Bermejo²

European Commission

¹ Joint Research Centre, Institute for Energy, NL

² Directorate-General Research, Directorate K – Energy, BE

*Event: "Materials Innovations in an Emerging Hydrogen Economy" Conference
24-27 February 2008, Cocoa Beach, Florida, USA*

sponsored by the American Ceramic Society & ASM International

- ***EU Energy Context: the challenges ahead***

- ***The EU RTD&D Framework Programme: activities on hydrogen and fuel cell technologies***
 - ***EC co-funded & JRC-IE specific...some examples***

- ***A Strategy for Europe***
 - ➔ ***European Hydrogen and Fuel Cells Technology Platform***
Implementation Plan and “Snapshot 2020”
 - ➔ ***The Fuel Cells and Hydrogen Joint Technology Initiative***

TODAY

- Rising prices for oil and gas
- The EU **imports 50%** of the total energy consumed
- Energy accounts for **80% of all GHG**


BY 2030, and with current policies,

- **CO2 emissions** will increase by **5%** and GHG global emissions by **55%**
- **Energy imports** will jump to **65%** of total consumption (gas: from 57% to 84%; oil from 82% to 93%)
- **Electricity demand** will raise **1.5 % per year**

Challenges

Priorities

Need



& Drivers for energy research

European Council (8/9 March 2007)



European agreement
on a NEW
ENERGY POLICY



Energy is a vital part of our daily lives in Europe and we have come to rely on it. But the days of secure, cheap energy are over and we are already facing the consequences of climate change, increasing import dependence and higher energy prices. In order to ensure a **sustainable, secure and competitive** energy supply, a common European response is needed. A new European Energy Policy must be ambitious, effective and long-lasting – and involve everyone.

Tackling climate change

Energy is the main factor in climate change, accounting for some 80% of EU's greenhouse gas emissions. It has been estimated that, without real efforts to reduce emissions, there is a real chance that global temperatures will rise by several degrees, dramatically altering the world's landscape and the way we live.

The **EU is committed to reducing greenhouse gas emissions**, but its present energy practice will result in increasing them by 5% by 2030. The EU's current energy and transport policies are not sustainable. Acting now to tackle climate change is essential.

Ensuring security of supply

Rising, volatile prices, blackouts and difficulties in supply have all illustrated the risks of being overly dependent on oil and gas. With global need on the up, this pattern is set to continue. The International Energy Agency expects worldwide demand for oil alone to increase by well over a third by 2030 – so how will this be met?

If energy trends and policies remain as they are, the EU's **reliance on imports** will jump from half to almost two-thirds in 2030. 84% of gas would have to be imported, as would 93% of oil. But from where and how these supplies would come is unclear. Add to this the fact that several EU Member States are essentially dependent on one single gas supplier and factor in the lack of a crisis support structure between countries, the EU's **growing vulnerability** is evident.

There is also a need to **increase capacity**. Electricity demand continues to mount by around 1.5% each year, but existing infrastructure and electricity plants are reaching the end of their useful life.

Over the next 25 years, around €900 billion will be needed to invest in new coal- and gas-fired power plants, along with wind turbines. Even if we increase our energy efficiency to limit growth in demand, **major investment in infrastructure** is vital.

The first step of the European Energy Policy is the adoption of a comprehensive **Action Plan** comprising measures to address the following priorities:

- **Internal Market** for Gas and Electricity
- **Security of Energy Supply** (for the EU as a whole and for each MS)
- **International Energy Policy** (“*act with a common voice*”)
- Energy **Efficiency** and **Renewable** Energies (set binding ambitious targets, e.g. the 20%’s by 2020)
- European Strategic Energy Technology Plan (**SET-Plan**)

Main EU instrument for funding RTD activities since 1984.

Multi-annual (4 years up to FP6); Partners from **outside the EU** welcome

Competitive calls for proposals

Evaluation by **independent experts** based on published selection criteria

FP6 budget: 17 500 M€ with ~ 900 M€ for Energy

Currently on the 7th FP (2007 – 2013)



↪ **Duration & Annual budget increased** (e.g. for **Energy**: ~M€ 225 ⇒ ~M€ 335)

↪ **European Research Council** (~ €1 billion per year) → **Frontier Research**

↪ **Technology Platforms** to define R&D priorities




↪ **Joint Technology Initiatives (JTI)**: Public-Private Partnerships


at European level – implementation led by industry Only a few areas...



more later...

EC Support to Fuel Cell and Hydrogen RTD in Framework Programmes






EC budget share per H₂/FC research area

CHRISGAS» fuels from biomass




FURIM



HyWays
A European Roadmap

ftp://ftp.cordis.europa.eu/pub/fp7/energy/docs/hydrogen_synopses_en.pdf



Hydrogen – strategic topics pursued & materials issues

- **Clean production:** development & techno-socio-economic assessment of cost-effective pathways for H₂ production from existing & novel processes
- **Storage:** exploration of innovative methods, incl. hybrids, which could lead to breakthrough solutions,
 - gaseous storage → **fibre/reinforced composites for tanks, cost /time effective laminating processes, recyclable materials**, safety
 - liquid storage → liquefaction; boil-off; **novel insulating material** for lightweight/low volume tanks ...
- **Basic materials: functional materials for electrolysers and fuel processors, novel materials for hydrogen storage and hydrogen separation and purification**
- **Safety:** pre-normative RT required for preparation of regulations & safety standards at EU & global level
- **Preparing the transition to a hydrogen energy economy:** support the consolidation of current EU efforts on H₂ pathway analysis and road mapping

Project Acronym	Co-ordinator	Duration (months)	Topic	EU indicative funding (M€)
<i>STORHY</i>	Magna Steyr, Austria	54 <i>since 01/03/04</i>	Next generation storage technologies for vehicle on-board applications	10.7
<i>NESSHY (+ HYSIC)</i>	NCSR Demokritos, Greece	60 <i>since 01/01/06</i>	Novel efficient solid storage for hydrogen	7.5 (+ 0.3)

See presentation 26 Feb 09:40 am

STORHY = “Hydrogen Storage for Automotive Application”

Aim: develop robust, safe & efficient on-board vehicle H₂ storage systems, suitable for use in H fuelled FC or ICE vehicles. High pressure compressed gas, cryogenic liquid, solid: advanced alanates

Co-ordinator: Magna Steyr-Austria

34 partners - 13 European countries


Duration: 01/03/04 → 31/08/2008

Budget: 18.7 M€
EC contribution: 10.7 M€



www.storhy.net

Comparison of system storage densities



Reference: extracted from the coordinator's presentation at the European Hydrogen and Fuel Cell Review Days 2007 10-11 October 2007, Brussels, Belgium



700 bar C-H₂ Storage

↪ Achieved 4.5 wt.%, 2.4 kg H₂ / 100l (system level)

↪ Further optimisation requires:

fundamental understanding of ageing & failure behaviour of composite & liner materials

↪ Further Cost reduction, requires:


new industrialisation concepts for mass production & new CF

↪ Also changes in RCS as well as new vehicle platforms



Source: Dynetek

L-H₂ Storage



Source: Magna Steyr

↪ 14 wt.%, 4 kg H₂ / 100l - on system level for metal design,
even up to 18 wt.% with **advanced composite materials**)



↪ free form tank design with improved conformability demonstrated

↪ Further Cost reduction indispensable!

↪ Specific L-H₂ issues such as boil-off & permeation still challenging




StorHy & Solid-State storage

Storage Material	Automotive Challenges
<p>Screening experiments for synthesis and characterization for new mixed alanates:</p> <ul style="list-style-type: none"> Mg-Al-Li-H, Mg-Al-Ca-H, Ca-Al-Li-H, Ca-Al-Na-H Mg-Al-Li-H, Mg-Al-Ca-H, Mg-Al-Na-H, Mg-Al-K-H Mg-Al-Li-H, Mg-Al-Ca-H, Ca-Al-K-H 	<p>No new reversible hydrogen storage compound found</p> <p>No break-through up to now</p>
<p>Synthesis and stabilisation of aluminium hydride AlH_3 (Alane) – basic research purpose</p>  <p>Spex 6750 freezer mill for cryomilling</p> <p>Source: IFE, FZK, GKSS</p>	<p>High material storage density 10.1%, but not reversible!</p> <p>Simplified method to synthesize AlH_3 by milling at liquid nitrogen temperature, compared to wet chemistry</p> <p>Work in progress to change the stability of AlH_3</p> 



- ↪ **2.0 wt.%** (on system level) with complex hydrides on alanate basis
- ↪ **solid filling** - demonstrated feasibility for fast heat removal in a tank using lightweight complex hydrides;



STILL REQUIRED: breakthrough materials & fundamental research novel materials with improved storage densities, kinetics & thermodynamic behaviour & advanced system components e.g. heat exchangers

- ↪ **safety studies** – minimised explosion in case of hydrogen release
- ↪ **Potential for mass production** of complex lightweight hydrides at low costs
- ↪ **Prototype tank built**

Project Acronym	Co-ordinator	Duration (months)	Topic	EU indicative funding (M€)
<i>HYCONES</i> <i>[FP6-Materials Programme]</i>	NCSR Demokritos, Greece	36 <i>since 01/11/06</i>	Hydrogen storage in Carbon cones	1.55
<i>COSY</i> <i>[FP6-MC RTN]</i>	GKSS, Germany	48 <i>since 01/11/06</i>	Understanding of sorption kinetics in reactive hydride composites	2.5

HYCONES: “Hydrogen Storage in Carbon Cones”

Aim: explore the potential of Carbon Cones as hydrogen storage media for on-board transport applications


Co-ordinator: NCSR-Demokritos, GR

5 partners - 4 European countries
External Research Collaborators Group

Duration: 01/11/06 → 31/10/2009

Budget: 2.56 M€
EC contribution: 1.55 M€

www.hycones.eu




Carbon Cones (CCs)
=
carbon micro-structures flat discs & cones


= **curved graphite sheets; 5 different cone angles - incidence of one to five pentagons at the cone tips.**

- **are economically produced** → in industrial quantities during the so-called Kvaerner Carbon Black H₂ Process

HYCONES: “Hydrogen Storage in Carbon Cones”



Degenerate E1 HOMO orbitals of the conic anion




Aim: explore their potential as H storage medium ← understand H-C interactions:


- ✓ Possibility of producing carbon cones cheaply in industrial quantities by Carbon Cones A. S.

- ✓ Unique electronic properties due to topology distinctively different from any other carbon (Bucky-balls, Single- and Multi-Wall Nanotubes)

- ✓ Optimize usage by purification & separation of the different CC types
- ✓ Systematic investigation of the pertinent H₂ uptake/release mechanisms (combination of advanced experimental and computational tools)



- ✓ Preliminary experiments reveal unprecedented uptake-release of H₂ **unlike** those for any other carbon material (patent)



Coulomb potential of the anion

- ✓ Computer calculations indicate a new form of H-C binding mechanism distinctively different from physi-or chemi-sorption



- **6% wt. storage capacity (90% recoverable) based on material weight**
- **“Operating P-T window”: 1-10 atm, 25-120°C**
- **Storage/release kinetics that can meet FreedomCar targets**

Refuelling rate > 1.5 kg/min

Flow rate > 4 g/s

Reference: extracted from the coordinator’s presentation at the European Hydrogen and Fuel Cell Review Days 2007 10-11 October 2007, Brussels, Belgium


In spite the progress, none of the storage routes meets the targets

Still room for exploration of potential of theoretical simulations for finding **novel materials**

with practical storage capacities & thermodynamics & addressing engineering tasks

Lack of a basic **understanding** of materials

properties is limiting progress – ageing & associated failure in C-H₂ Storage gas cylinders, search of insulating materials for lessen boil-off rate of L-H₂, improvement of H₂ sorption properties of C-cone materials via understanding of the H-C interactions



NEED for a deeper fundamental understanding of materials properties, & for basic research

- **Reducing the cost & Improving the performance, durability, safety, reliability** : for competing with conventional combustion technologies
 - **materials & process development – a challenge! = to reconcile**
 - **enhanced lifetimes, high performance # electricity flow vs. corrosion, morphological changes, building of resistive layers & exhaustion of catalytically active components, degradation**
 - **& lower costs (& high volume manufacture – see PEFC); minimising the use of precious metals in the stack**
 - optimisation & simplification of FC components & sub-systems
 - modelling, testing, characterisation protocols
 - **meeting durability requirements - tolerance to impurities**: see sulphur & ammonia
 - packaging & weight – fuel stack & BOP; incl. miniaturised systems
 - thermal, air & waste management – advances in heat exchange systems & ability to maintain the water balance, required!
- **Validation & Demonstration activities**: to gain experience & give feed back to techn.development /deployment + training to stakeholders & end users

Long term goal: Commercial viability by 2020 for many applications

REAL-SOFC = “Realising Reliable, Durable, Energy Efficient and Cost Effective SOFC Systems”

Aim: to solve persisting generic problems with planar Solid Oxide Fuel Cells (SOFC) in a concerted action of the European fuel cell industry & research institutions – achieve: enhanced lifetime, ease of operation, cost effectiveness, sustainability

Co-ordinator: FZ JUELICH GMBH

26 partners - 12 European countries

Duration: 01/02/04 → 31/01/2008

Budget: 18.26 M€

EC contribution: 9.0 M€



<http://www.real-sofc.org/>

• <u>Main goal:</u> Understanding and reducing ageing	Enhanced lifetime
• Reduction of degradation to 0.5% / 1,000 hrs.	
• Extension of stack lifetime above 10,000 hrs.	
• Tolerance against impurities	Ease of operation
• Operation with dry methane	
• Standard formats and testing routines	Cost & reproducibility
• Life Cycle Analysis & environmental impact analysis	Sustainability


MATERIALS issues
– on centre stage

feedback loop for developing 2nd & 3rd generation of cells & stacks with lifetime of 10 000 h




REAL-SOFC ACTIVITIES

Chromium Poisoning: Microscopic Findings



- ✓ Chromium is deposited at the interface cathode/electrolyte within the cathode layer where Cr can be detected
- ✓ The crystallographic structure of the modified parts is not clear
- ✓ The microstructurally modified part of the cathode is thicker at the air-out side of the cell than at the air-in side



G2 vs. State-of-the-Art

Reference: extracted from the coordinator's presentation at the European Hydrogen and Fuel Cell Review Days 2007 10-11 October 2007, Brussels, Belgium

(I) MATERIALS & COMPONENT Development Standardisation issues

- co-ordinated testing programme: mobilised a vast testing capacity throughout Europe
- Testing conditions for stacks standardised
→ **ensure comparability** between different labs results - **essential for shared testing resources**

→ **reproducibility** (stability) of components and results

→ **Standard definitions of requirements and of indicators** (degradation)


→ **Quality standards & assurance**

(II) MATERIALS ENVIRONMENTAL IMPACT

Analysis & early addressing of health hazards in workplace and at point-of-use

(III) TRAINING Programme

**Emphasis on performance assessment
Validation / Benchmarking for harmonised test methods/protocols**



+ techno-economic assessments



+ involvement in HFP

+ international outreach: IPHE, IEA-HIA, CEN, ISO,

Reference: adapted from US-DoE picture

FCPOINT = Fuel Cell POWER Integration & Testing

Environmental and vibration testing of FC systems and their performance



CFD modelling of FC performance & modelling validation



Standardised test methods for fuel cells & FC systems under simulated service conditions

ALSO

CATALYSTS TESTING → Study PEFC anode catalysts - adsorption properties of novel materials under FP6

FCANODE

screened alloy materials 'LIBRARIES'

➤ **PEFC DEGRADATION MECHANISMS: FP7**

DECODE project PEFC: operating modes, selection of materials & components

High Pressure H₂ Storage

GasTeF

Safety bunker for Stationary & cyclic testing facility up to 800 bars.

Solid-state H₂ Storage

SolTeF

Laboratory for storage capacity characterisation

H Sorption Measurements

On-board safety sensors

SenTeF

Laboratory for H sensor testing

Reaction-, life-time, (cross-) sensitivity (to other gases), environmental factors


Modeling H₂ release

2D and 3D CFD codes



Material aspects – see tank design

- Compressor and tank testing “bunker”:
- ☞ 1 m thick composite walls; 3 meters sand
 - ☞ 40 tons sliding door
 - ☞ Interior filled with N₂ during experiments
 - ☞ **Full-scale vehicle tanks permeation & High pressure cycling testing**




CFD modelling of operating conditions & accidental hydrogen release (from pipelines) scenarios
Wilkening, H. & Baraldi, D


SYSAF = SystemS for Alternative Fuels

Exploring & identifying the most appropriate **measurement methodologies**

→ **Repeatability, Reproducibility, Reliability, Accuracy in measurement**





→ **Inter-comparison of techniques/instruments**



Further supporting standardisation:

- Inter-lab comparisons & RRT Coordination** (identify the cause of deviation between labs & harmonise **data**)



Ref. NESSHY

- Web-enabled Database:** material H sorption & physical/engn data
- Safety** aspects investigation

HI2H2 project under Hydrogen Production & Delivery



Topic: study of a high-temperature water electrolysis (HTE) system for H₂ production → ‘Solid Oxide Electrochemical Converter (SOEC)’

Project status: completed (2004 – 2007)


Such cells

- use solid oxide electrolytes similar to SOFCs; are operated thermo-neutrally; no need for noble metal electrodes; material problems are different




- 👍 **achieved high durability & performance of single cells**
- 👎 **degradation of the cells, probably due to sealant problems**

**HEAT MANAGEMENT –
an issue in MW scale plants**




VISION

Hydrogen
Energy And
Fuel Cells (2003)



IMPLEMENTATION Implementation Plan (March 2007)




STRATEGY

- Strategic Research Agenda
- Deployment Strategy
- Strategic Overview (2005)

100 Stakeholders invested more than € 10 m for the JTI preparation

Documents available at:
www.hfpeurope.org/hfp/keydocs



(*) Integrated RTD&D programme requiring 7.4 Billion Euros for 2007-2015

	Portable FCs for handheld electronic devices	Portable Generators & Early Markets	Stationary FCs Combined Heat and Power (CHP)	Road Transport
EU H2/ FC units sold per year projection 2020	~ 250 million	~ 100,000 per year (~ 1 GW _e)	100,000 to 200,000 per year (2-4 GW _e)	0.4 million to 1.8 million
EU cumulative sales projections until 2020	n.a.	~ 600,000 (~ 6 GW _e)	400,000 to 800,000 (8-16 GW _e)	1-5 million
EU Expected 2020 Market Status	Established	Established	Growth	Mass market roll-out
Average power FC system	15 W	10 kW	<100 kW (Micro HP) >100 kW (industrial CHP)	80 kW
FC system cost target	1-2 €/ W	500 €/kW	2.000 €/kW (Micro) 1.000-1.500 €/kW (industrial CHP)	< 100 €/kW (for 150.000 units per year)

**Extracted from Deployment Strategy doc → what is needed to move technology
from prototype through demonstration to commercialisation**

JTI's objectives

- Establish long-term **public-private partnerships** in research at European level
- Co-ordinate research efforts and respond to **industry needs**
- Focus on fields of high **industrial and policy relevance**

JTI's criteria

- Added value of **European-level** intervention
- Degree and clarity of **definition of objective**
- Strength of commitment from **industry**, industrial lead
- **Scale of impact** on industrial competitiveness and growth
- Importance of contribution to broader **policy objectives**
- Capacity to attract **additional** national **support** and leverage industry **funding**
- **Inability of existing instruments** to achieve objective

Located in **Brussels**

The **Research community** may establish a representative association and also become a member of the JU

It will operate in **2008 – 2013** (2017) with a **multiannual/annual programming**
(Implementation Plan as the starting point)

→ provisions on evaluation and selection of proposals

→ information and dissemination of activities

.....based on principles of **transparency** and **openness**

Financing

Budget : 470 M€ from FP7 (Energy, Transport, Materials and Environment)
matched by at least **470 M€** from the **private sector**

Administrative costs shared 50/50 between the private and public sectors (cash contributions)

Operational costs (project funding) shared between the private and public sectors
(in-kind contributions and cash contributions respectively)

Close **follow-up of in-kind contributions** to monitor the principle of 50/50 financing

The proposal for the Regulation will be discussed by the **Council** and the **European Parliament**; their comments will probably result in an amended proposal

A "**bridging structure**" (a co-ordination and support action under FP7) is being put in place to ensure a quick start-up of the activities

Adoption by the Council is foreseen by summer 2008

First JTI **call for proposals** is planned by summer 2008 just after adoption of the Regulation

Watch this space!





Energy Research web site & Energy Helpdesk
http://ec.europa.eu/comm/research/energy/index_en.html
rtd-energy@ec.europa.eu

European Hydrogen and Fuel Cells Technology Platform (HFP)
<https://www.hfpeurope.org/>



New Energy World Industry Grouping (NEW-IG)
<http://fchindustry-jti.eu/>



JRC-IE contact point

Dr. Constantina FILIOU
European Commission - JRC
Institute for Energy,
Cleaner Energies Unit




✉ PO Box 2, NL-1755 ZG PETTEN
☎ +31 (0)224 565171
📠 +31 (0)224 565623
@ constantina.filiou@jrc.nl



<http://www.jrc.nl/>


ONLY BACK_UP SLIDES



TACKLE Lifetime and long-term degradation by:

- gaining more understanding of **degradation processes** through an extensive testing programme
- finding solutions to reduce **ageing**, & developing new processing methods and **improved materials** that show less ageing → integration of these developments into cells and stacks by industrial partners & further testing.

Project Strategy



feedback loop for developing 2nd & 3rd generation of cells & stacks with lifetime of 10 000 h under standardised testing conditions.

LIFETIME & IMPURITIES: a concern! Analysis & need for countermeasures

- Lifetime & effects of transient conditions like load, thermal and re-oxidation cycles, as well as sub-optimal fuel composition - impurities like sulphur or lack of water in methane operation leading to coke formation

Materials

- ☞ **best performing** materials already known (no surprises); must optimise processing & **cost!**
- ☞ **Lifetime** is insufficient (but: trade-off with cost)
- ☞ **Contacting and protective layers** are imperative

Reference: extracted from the coordinator's presentation at the
European Hydrogen and Fuel Cell Review Days 2007
10-11 October 2007, Brussels, Belgium

RTD challenges

- ☞ **low-cost**, standardised, mass-production oriented manufacturing extended **lifetime** of components, **robustness**
- ☞ sufficient testing capacity for **predicting materials performance** rapidly (**optimisation!**)
- ☞ exploiting the opportunities: multi-fuel capability, **versatility**, high performance

Codes and Standards

- **Comparability of testing results - essential for shared testing resources**
- Reproducibility (stability) of components and results
- **Standard definitions of requirements and of indicators** (degradation)
- Quality standards & assurance
- Cost reduction through standardised and categorised products



Looking into Environmental Issues

- Cost reduction ← early addressing of health hazards in workplace and at point-of-use
- Global picture of environmental impact of materials

SYSAF = SYstemS for Alternative Fuels

Safety, efficiency & performance of H storage & distribution systems

OBJECTIVE:

- ✓ To harmonise, validate / verify & standardise test procedures & measurements for the safety of hydrogen storage and distribution systems
- ✓ To benchmark their operational performance

WORK PLAN:

- ↪ To upgrade & operate reference laboratories for the testing & verification of hydrogen storage and distribution components
 - ↪ To carry out underpinning R&D research
 - ↪ To provide at European level independent technical expertise on performance, efficiency, safety of competing hydrogen storage systems
 - ↪ To participate to the works of European and International bodies on Regulations, Codes, Standards (RCS) for the hydrogen economy
- ↪ During FP6 – design & construction of state-of-the-art testing facilities

FCPOINT = Fuel Cell Power Integration & Testing

OBJECTIVE:

- ✓ **critical assessment of the performance of fuel cell systems**
particularly in terms of efficiency and emissions and on the integration of fuel cells into the power chain using the test facilities of the Institute as framed within the EU projects FCTESQA and DECODE.
- ✓ **validation & benchmarking of harmonised test methods and protocols** on performance of fuel cells in transport and stationary applications → input to standards drafted by ISO TC 197 & IEC TC 105
- ✓ **establishment of a reference centre for pre-normative research (PNR) verification of FC power chain testing**

WORK PLAN:

- ↪ **Fuel Cell Power Chain Integration and Testing: experimental characterization and evaluation of performance and optimized integration**
- ↪ **EU policy support, networking & RCS activities**
- ↪ **Underpinning research on fuel cells and their components in support of testing and validation of test procedures and methodologies.**
- ☞ **During FP6 – design & construction of state-of-the-art testing facilities**

- 1. Hydrogen Vehicles & Refueling Stations** - *Improve and validate hydrogen vehicle and refuelling technologies to the level required for commercialisation decisions by 2015 and a mass market-rollout by 2020*
- 2. Sustainable H₂ Production and Supply** - *10-20% of the Hydrogen supplied for energy applications to be CO₂ lean or free by 2015*
- 3. FCs for CHP and power generation** - *> 1 GW capacity in operation by 2015*
- 4. FCs for Early Markets** – *X000 commercial early market FC products in the market by 2010 (200MW – 20000 units not later than 2012)*

JTI's objectives

- Establish long-term **public-private partnerships** in research at European level
 - Co-ordinate research efforts and respond to **industry needs**
 - Focus on fields of high **industrial and policy relevance**
-
- Already identified in the **Council decisions** concerning FP7
 - To be established by a Council Regulation as a “**Joint Undertaking**”, according to **Article 171** of the EC Treaty.
 - Build on European **Technology Platforms** (ETPs)
 - EC budget to be drawn from FP7 “Cooperation” Programme”
 - Commission submitted proposals for **6 JTIs**, including **Fuel Cells and Hydrogen**

**Hydrogen
and Fuel Cells for a
Sustainable Energy
Future**

**Global Monitoring
for Environment
and Security**

**Aeronautics and
Air Transport**

**Innovative Medicines
for the Citizens
of Europe**

**Towards new
Nanoelectronics
Approaches**

Embedded systems

Energy Research web site & Energy Helodesk

http://ec.europa.eu/comm/research/energy/index_en.html

rtd-energy@ec.europa.eu



Energy Policy

http://ec.europa.eu/comm/energy/index_en.html

Seventh Framework Programme

<http://cordis.europa.eu/fp7/>

Calls for proposals

<http://cordis.europa.eu/fp7/>



Conferences, proceedings, Newsletter

http://ec.europa.eu/comm/research/energy/gp/gp_events/action/article_2790_en.htm

<http://ec.europa.eu/comm/research/energy/pdf/renews5.pdf>

National Contact Points

